


# Spot LED




	EAN	W	K	lm	lm/W	ø x H	IP	▽	R <sub>a</sub>	T <sub>a</sub> (°C)	V <sub>AC</sub>	Hz	👤
Spot LED 4.5 W 3000 K	4058075000124	4.5	3000	360	80	80x36	20	36°	> 80	-20...+45	220-240V	50/60 Hz	0.2 kg
Spot LED 6.5 W 3000 K	4058075000148	6.5	3000	550	85	80x36	20	36°	> 80	-20...+45	220-240V	50/60 Hz	0.2 kg
Spot LED 8 W 3000 K	4058075000162	8	3000	660	85	90x47	20	36°	> 80	-20...+45	220-240V	50/60 Hz	0.2 kg
Spot LED 8 W 4000 K	4058075000186	8	4000	720	90	90x47	20	36°	> 80	-20...+45	220-240V	50/60 Hz	0.2 kg
Spot -FP LED 7 W 3000 K	4058075000209	7	3000	530	75	90x72	65	38°	> 80	-20...+45	220-240V	50/60 Hz	0.3 kg
Spot -DK LED 7 W 3000 K	4058075000223	7	3000	580	85	70x58	44	36°	> 80	-20...+45	220-240V	50/60 Hz	0.2 kg



**LEDVANCE** OSRAM


## Spot LED

**1a**



	Ø
Spot LED 4.5W 3000K	68 mm
Spot LED 6.5W 3000K	68 mm
Spot LED 8W 3000K	83 mm
Spot LED 8W 4000K	83 mm

**1b**




BS476-20:1978  
BS476-21:1978




	Ø
Spot-FP LED 7W 3000K	68 mm

**1c**



	Ø
Spot-DK LED 7W 3000K	63 mm

Spot LED



[www.luminaires-ledvance.com](http://www.luminaires-ledvance.com)



## Downlight

# Spot

Linear

## Panel

# Surface

ampProof

HighBay

# Floodlight



LEDVANCE GmbH  
Steinerne Furt 62  
86167 Augsburg  
Germany

[www.ledvance.com](http://www.ledvance.com)